AD-754 400


MACHINE-AIDED INDEXING

Charles R. Jacobs

Defense Documentation Center Alexandria, Virgiria

December 1972

DISTRIBUTED BY:



National Technical Information Service
U. S. DEPARTMENT OF COMMERCE
5285 Port Royal Road, Springfield Va. 22151

MACHINE-AIDED INDEXING

Charles R. Jacobs

Directorate of Development

December 1972

Technical Progress Report for Period July 1971-June 1972

DEFENSE DOCUMENTATION CENTER
Defense Supply Agency
Cameron Station
Alexandria, Virginia 22314



Reproduced by
NATIONAL TECHNICAL
INFORMATION SERVICE
U S Department of Commerce
Surjective J VA 22151

Approved for public release; distribution unlimited



Security Classification			
DOCUMENT CONTE	ROL DATA - R & D	dban 4bn	ment (a claration)
(Security classification of this, body of abstract and indexing a	nnotation must be entere	REPORT SEC	URITY CLASSIFICATION
ORIGINATING ACTIVITY (Corporate author)	lee.	UNCLASSI	
Defense Documentation Center		GROUP	
Cameron Station	l l	N/A	
Alexandria, Virginia 22314		11/ 21	
REPORT TITLE			
Machine-Aided Indexing			
4. DESCRIPTIVE NOTES (Type of report and inclusive detec)	_		
Technical Progress Report for Period July	1971 - June 1	972	
S. AUTHOR(S) (First name, middle initial, last name)			
Charles R. Jacobs			
. REPORT DATE	78. TOTAL NO. OF PA	GES	75. NC C CREFS
	63		four (4)
December 1972	SE. ORIGINATOR'S RE	PORT NUMB	世 宗(5)
b. PROJECT NO.	DDC-TR-72-4	4	v.
c.	9b. OTHER REPORT N	10(5) (Any of	her numbers that may be assigned
	AD 754 400		
d. 10. DISTRIBUTION STATEMENT			
Approved for public release; distribution	unlimited.	ITARY ACTI	VITY
13. ABSTRACT			
Progress is reported at the 1,000,000 worsyntactic analysis technique for indexing hyphens is provided. New grammars written	r text. A new	indexin	is suproductue for
	ı		
	•		

DD FORM .. 1473

Unclassified

Security Classification

Unclassified

Security Classification						
14. KEY WORDS	LIN		LIN	K B	LIN	кс
	ROLE	WT	ROLE	WT	ROLE	WT
	1					
Machine-aided indexing			[
Syntactic analysis						
Index terms]			
Format dictionary]			
Term dictionary					!	
Natural language data base	j :				i	
Decemition distinguis	,					
Recognition dictionary	i !				ŀ	
	'		1			
			ł			
]			
]		1			:
			f			
			}			
			ĺ			
•						
			i i			
					i	
					1	i
					İ	- 1
			1			ſ
· ·						
1						
İ						
						<u> </u>
						1
					[
·						1
ļ	j		! }			
[ĺ	l
`						1
	}					1
	1				Ī	
		- 1			ľ	ĺ
	l		i			

Unclassified
Security Classification



DEFENSE SUPPLY AGENCY DEFENSE DOCUMENTATION CENTER CAMERON STATION ALEXANDRIA, VIRGINIA 22314

PREFACE

This is the fourth annual report covering the development efforts in Machine-Aided Indexing (MAI). The partial automation of indexing is part of a larger effort which includes the automation of bibliographic searching so that the casual on-line user can receive a reasonable response to a question expressed in natural language. Both indexing from text and the use of natural language for search and retrieval require the existence of a large Natural Language Data Base (NLDB). Machine-Aided Indexing, Machine-Aided Retrieval (MAR) and the Natural Language Data Base are all at different levels of development.

To date, over one million running words of text have been processed through the MAI programs resulting in a find of 21,463 unique words. To our knowledge this is the first time automatic indexing procedures have been used on a data base of this magnitude. Furthermore, we are well on the way toward the two million word mark. Once this objective is reached it is anticipated that both the MAI and NLDB systems will be used in an operational environment.



Efforts to convert the present MAI assembly language programs to COBOL are continuing. When completed, this conversion program will make MAI machine independent.

Prepared by:

CHARLES R. JACOBS Directorate of Development

Approved by:

HERMAN W. MILES

Director, Directorate of

Development

TABLE OF CONTENTS

	PAGE
PREFACE	i
THE MACHINE-AIDED INDEXING SYSTEM	1
Recognition Dictionary Format Dictionary Natural Language Data Base (NLDB) Indexing Subroutines (Macros) Grammars	5
NATURAL LANGUAGE DATA	7
Statistics	7 10 10
PLANS FOR FY 73	17
REFERENCES	18
APPENDIXES	
Appendix A - Current Format Matches	19 28

THE MACHINE-AIDED INDEXING SYSTEM

Recognition Dictionary

The format of this dictionary has been retained through the indexing of approximately 1,112,019 words of text. The present dictionary size is 21,000 unique words (see figure 1) with an anticipated increase of 8,000 new words of the next 1,000,000 words read resulting in a 29,000 word dictionary.

The statistics for the dictionary items assigned to each macro for the 1,112,019 words of text are as follows:


Macro	Words	Macro	Words
0 1 2 3 4 5	792 9,507 2,974 3,880 1 special symbols 4,182	9 10 11 12 13 14 15	file routine or comma 1 hyphen test 11 9 53
7 8	of	16	73

Format Dictionary

The 77 formats recognized by the format dictionary and the frequency of their occurrence in the most recent 547,547 word data base are as follows:

Rank Fr	equency	Format	Rank	Frequency	Format
	13,799 11,478 9,479 3,627 3,182 2,744 2,061 1,703 1,234 1,095 802 790 619 597 551	ZZ AZ N AZZ ZZZ NZ AN ZN AAZ Z PZ ZAZ AZZ ANZ NZZ Z ZZZ	16 17 18 19 20 21 22 23 24 25 26 27 28 29	513 488 454 450 436 435 366 352 235 231 201 161 160 158 150	NN AZN ZPN ZPZZ AAZZ ZNZ A+AZ ZZN AAN ZAZZ AZZZ ANZZ AN





Rank	Frequency	Format	Rank	Frequency	Format
31	149	NAZ	53	33	A R
32	128	BN	54	32	ZZZN
33	123	AZNZ	55	29	NNN
34	120	ZPNZ	56	22	NNZZ
35	110	NNZ*	5 7	21	AXAZ
36	109	A+ZZ	58	18	ZZR
37	107	NPZ	59	14	A+AZZZ
38	96	A+AZZ	60	12	AZ R
	94	NZZZ	61	11	AA+AZZ
39 40	91	ANN	62	10	ANZZZ
40	91	ZZAZ	63	7	A+YZ
41	85	ZZPZ	64	6	AXAZZ
42	80	AZAZZ	65	5	AA+AN
43	7 8	ZNZZ	65	5 5	A R Z
44	7 7	ZZZZZ	66	4	AXAN
45	74	ZR	66	4	A+XAZ
46	71	NZN	66	4	NAAZZ
47	68	AZZN	66	4	ZNZN
48	58	A+AN	67	1	A+YAN
49	47	ZAZZZ	67	1	BR
50	45	ZZPN	68	0	A+XAN
51	42	AA+AZ	68	0	A+YN
52	40	NAN	68	0	A+YZZ
52	TrO.	ZNN			

* The format NNZ was inadvertently omitted from the previous report where it should have been listed as having a frequency of 62 for the 450,000 word data base.

A new format not used for previous data bases is A+AZZZ with a frequency of 14. As found in the previous 450,000 word data base, the ZZ format still occurs most frequently. However, the next two pairs have reversed with AZ now preceding N and AZZ preceding ZZZ.

The following new formats have been added to the format dictionary:

AAZN ANNZ AZNN ZANZ $A+NZ \longrightarrow AZ$, NZ $A+Z_1Z_2Z_3 \longrightarrow AZ_2Z_3$, $Z_1Z_2Z_3$ $ZA_1+A_2N \longrightarrow ZA_1N$, ZA_2N

Statistics for these formats will be forthcoming as new documentation is indexed.

The cumulative statistics for the frequency of occurrence of the 77 formats in the one million plus data base are as follows:

Rank	Frequency	Format	Rank	Frequency	Format
1	26,085	ZZ	40	167	NZZZ
2	20,539	AZ	40	167	ANN
3	18,633	N	41	160	ZR
3 4	6,433	AZZ	42	159	ZZPZ
	6,155	ZZZ	42	159	ZZZZZ
5 6	4,957	NZ	43	1 56	ZNZZ
7	3,635	AN	44	151	AZAZZ
8	3,185	ZN	45	128	NZN
9	2,274	ZPZ	46	122	AZZN
10	2,043	AAZ	47	108	A+AN
11	1,439	ZAZ	48	105	ZZPN
12	1,433	AZZZ	49	104	AR
13	1,104	NZZ	50	85	AA+AZ
14	1,089	ANZ	5 1 .	84	ZAZZZ
15	1,085	ZZZZ	52	83	ZNN
16	979	NN	53	68	NAN
17	972	ZPZZ	53	68	ZZZN
18	962	ZPN	54	64	NNN
19	953	AZN	55	42	AXAZ
20	782	ZNZ	56	38	ZZR
21	730	AAZZ	5 7	32	NNZZ
22	717	A+AZ	58	22	AZ R
23	610	ZZN	59	19	AA+AZZ
24	432	ZAZZ	60	17	ANZZZ
25	367	AZAZ	60	17	BR
26	360	AAN	61	14	A+AZZZ
27	286	AZZZZ	62	12	A+YZ
28	284	A PAN	62	12	ZNZN
29	273	NAZ	63	10	AA+AN
30	265	ZAN	63	10	AXAN
31	255	ANZZ	63	10	NAAZZ
32	246	BN	64	9	AXAZZ
33	229	AZNZ	65	9 8 6	ARZ
34	228	ZPNZ	66	6	A+XAZ
35	227	NPZ	67	3 2	A+YZZ
36	215	A+ZZ	68	2	A+XAN
3 7	181	ZZAZ	69	1	A+YAN
38	179	NNZ	70	0	A+YN
39	177	A+AZZ			

The first eight formats by frequency rank identically to that found for the 500K corpus. The remaining 69 formats vary somewhat. However, this variation is small and together with the passing of the one million word mark, it seems highly unlikely that any significant changes in ranking for a particular format will occur.

Natural Language Data Base (NLDB)

Presently, the NLDB contains some 48,663 records consisting of 4312 posting terms, 12,410 single use references, 29,652 multiple use references, and 2289 hierarchy references. These records reflect the MAI index terms for approximately 1750 DD 1634-resumes having an approximate total running word count of 600,000.

Various ways to automatically post certain categories of index terms are under investigation in an attempt to both speed up and, at the same time, reduce the manual effort required to bring this file up to an operational status.

One promising method involves automatically posting the singular or plural form of index terms as dictated by their presence already on the file in one form or the other. This routine greatly reduces the near-duplication of manual effort involved in updating the NLDB with singulars and plurals. Details on this will be published in the next NLDB report.

A technical progress report DDC-TR-72-1, "Natural Language Data Base" was published in May 1972 and is available as AD 746 600. This report follows DDC's development of a Natural Language Data Base from its inception to the present.

Indexing Subroutines (Macros)

Macro 13

- I. Is TS empty?
 - A. YES Clear RR and read in next word.
 - B. NO Store hyphen in TS read in next word and go to step II.
- II. Is word followed by a hyphen?
 - A. YES Go to IB
 - B. NO Store an "A" in FR and term in TS. Read in next word.

Macro 13 in the above form is the subroutine involving the use of the hyphen. The 500K data base was the first real application of this Macro and, because of the encouraging results obtained, it is felt that a brief explanation of the subroutine is in order. What Macro 13 does is retain all hyphens together with the preceding and following word. This combination of word-hyphen-word is collectively stored as an adjective "A" and will combine with other "As," "Zs" and/or "Ns" to form the various formats. Thus we have the examples

over-the-horizon radar (AN), ship-to-shore radio (AZ), and solid-state devices (AZ) where, in each case, all words and their connecting hyphens are assigned as adjectives A and combine with nouns N and Z to form valid formats. There are problems. Not all hyphen-word combinations function as adjectives. These are being studied and modifications to the routines will be instituted when they are devised. However, the overall picture looks good.

Grammars

A right linear grammar was written and programmed for the MAI system. The 42 productions of this grammar generate exactly 2649 acceptable formats of four words or less. It was thought that this system would replace the present MAI system because of an anticipated growth of the format dictionary. However, this growth never materialized. In fact, it is now obvious that the format dictionary will have a total of less than 100 formats thus making the present MAI system faster than the grammar with no loss of efficiency.

Another right linear grammar was written and programmed to recognize AN/ equipment designations. This grammar, consisting of 33 productions, is stylized to make all AN designations potential index terms providing they satisfy certain criteria regarding the positions of the alphanumerics involved. This grammar generates an astounding multibillion potential for AN designations, and thus very compactly replaces an impossibly large look-up table. Furthermore, if study shows other alphanumeric combinations to be useful, we now have a technique for handling them. The actual results of using this grammar in a MAI operational mode will be covered in the next technical report.

NATURAL LANGUAGE DATA

Statistics

Once again, as with the 400K data base, we have the occurrence of long stretches of text, seven words or more, unbroken by a throw-away word. However, in comparing the 400K data base with the 500K data base it is noted that these occurrences reduced in number in almost every instance.

	<u>400K</u>	<u>500K</u>
7 word stretches	66	49
8 word stretches	14	10
9 word stretches	5	2
10 word stretches	2	2

At this time, we can only assume that this is coincidental since there appears to be no sound basis for this type of trend. These occurrences are almost entirely controlled by the writing style of the document source.

It is still felt that stretches of text longer than four words are of questionable value for retrieval. Search requests are presently being analyzed to see if these same types of stretches appear. These findings will dictate our next step. That is, whether to allow five and six word formats to appear as we do now or whether to break them down into smaller, yet just as meaningful, formats. It is hoped that these procedures, if needed, will also apply to the longer stretches of seven words and greater.

Unclassified examples of authorized formats are given in Appendix A. Unclassified examples of unauthorized or mismatched formats are given in Appendix B. Unclassified formats of seven words or more follow in their entirety.

- AAAAAAN One- controlled gliding airdrop systems- external cargo
- AAAANRN Very hard frontal element- carbide cored projectiles
- AAAZAZZ Seaborne airborne opaque screen penetrating camera systems
- AAAZZZZ Skid-mounted closed Brayton cycle power conversion system
- AAA+AAZ X-ray far infrared and far ultra-violet rocket
- AAA+AZZ Clean trouble-free hydraulic and lubricating oil systems
- AAA+ZAZ Microelectronic linear digital and microwave integrated
 - Organic polymeric electronic and composite ceramic materials
- AAZAAAZ Of- high speed Morse telegraph telegraph terminal
- AAZAZZZ Running high speed digital data transmission tests
- AAZZAZZ High load-low speed water lubricated bearing systems
- AA+AZAZ Dimensional subsonic and transonic wind tunnel tests
- AA+ZZZZ In-house aerodynamic and life cycle cost studies
 Tropospheric scatter and air ground radio links
- ANZANZZ Unidirectional graphite fiber phenylated quinoxaline resin composite
- ANZZAZZ Liquefied petroleum gas fueled fork lift trucks
- AZAAZNZ Multi- parameter structural flight-maneuver load history data
- AZAZZAZ Low cost low installation cost intra-space cable
- AZAZZZZ Quick reaction technical information computer data bank
- AZA+AZR Digitally synthesized visual and audible citput patterns
- AZA+NAZ Lightweight company mortar and battalion close support
- AZA+ZNZ Irradiated reactor structural and fuel cladding alloys
- AZA+ZZZ High Frequency bulk and surface wave applications
- AZZAZZZ Low energy electron diffraction-high energy electron diffraction
- AZZNAZZ Single pass reverse osmosis fresh water system
- AZZNNZZ ECOM-wide material radiation vulnerability survivability assessment program
- AZZZZZZ Automatic voice frequency circuit quality monitoring system
- A+AAZZZ Supersonic and hypersonic closed circuit wind tunnels
- A+AXZZZ Lethal and incapacitating or riot control agents
- A+AZZNZ Transonic and supersonic flight vehicle maneuverability problems
- A+ZZAAN In-board and bomb rack stored rigid containers
- A+ZZZZZ Navigational and fire control weapon interface problems
- BAAZAAN New reactive tuning techniques high Q antennas
- BAAZNAZ New rugged quick-drying cotton nylon protective work
- NAAZAAZ Illumination modulated synchronized shutter underwater viewing system
- NAAZZZZ LIOH ethylene-diamine tetracetic acid sea salt hardness control tests
- NZAANNZ Graphite fiber reinforced pyrolytic graphite blast tube
- NZAAZZZ Loran techniques propagation -- A least-squares coordinate conversion techniques

- NZANZZZ Austenite grain boundaries- ferrite grain boundary networks

 Loran techniques propagation--continue Loran anomaly

 propagation studies
- ZAAAZZZ Size continually variable neutral density filter sets
- ZAAZAAZ Signal system- adjustable ranging telescope- automatic
- ZAA+AZZ Radiation hardened electric and magnetic field detectors
- ZAZZAAZ Ship sanitary waste transfer three dimensional bench
- ZA+AANZ North Atlantic and Mediterranean biological reverberation models
- ZA+AXAZ Interface mechanical and digital or analog subsystems
- ZA+AZZZ Ground in-frame and out-of-frame jet engine test
- ZA+YZAZ Vehicle performance-soil and other vehicle performanceterrain relations
- ZNAAZZZ Landing hook impact-resistant high intensity centerline lights
- ZNNANZZ Breadboard hydrazine monopropellant integrated diver power system
- ZZA+AZZ Rocket motor structural and thermal protection materials
- ZZNZNNZ Diesel engine cooling water corrosion inhibition techniques

Eight Words

- ANZZZAZZ Nuclear weapons effects research test nuclear effects simulators
- AZAAAZAN High strength chemically resistant low temperature flexible elastomers
- AZAZAZNZ High quality high strength high modulus carbon filament
- A+NZZZZZ Sam-D and manpads air defense systems cryptosecure computers
- A+ZZZZZZ Portable and shop gas turbine engine test facilities
- BAZNNANZ New high strength stress corrosion resistant aluminum alloy
- NZAZZZZZ Graphite fiber epoxy matrix composite wing box section
- ZAAZAZZZ Water impermeable high temperature resistant polymer insulation system
- ZA+AZZZZ Reliable VHF-FM and UHF-AM frequency band avionics radio
- ZZAZZZZZ Air defense small caliber fluid propellant weapon system

Nine Words

- AA+AZZZZZ Manned hyperbaric and deep ocean simulation pressure changer complexes
- A+AZZAZZZ Forward and remote surface observations meteorological data sounding system

Ten Words

AZZAAAZAZN - High speed data buffer ultra high speed digital group multiplexer

ZNPZAAZAZZ - Compression molding of water impermeable high temperature resistant polymer insulation

In all of the format examples including both appendices, it is interesting to note the impact regarding the use of the hyphen (-). This new MAI procedure has enhanced our ability to keep strings of text together thereby keeping ideas and concepts from being lost. Numerous new index terms now appear which would previously have been deleted or broken up. Indications are that the hyphen routine is a definite plus for the MAI system.

Incorrect Assignment

We now have programs that will index phrases using a variable macro assignment for a given word. This will not only give us a picture of how a word combines with other words when assigned various parts of speech but it will also enable us to more quickly and easily assign the most correct macro to troublesome words. Results of this effort will be reported in later technical reports.

Format Mismatches

Once again, a record was made of those strings of text which have no counterpart in the format dictionary. This record, together with past records, will be used to determine if valuable formats are being lost. The nonmatching formats for this latest data base and their frequency of occurrence are as follows:

Mismatch Formats by Freque y

Rank Frequency Format Rank 115quaries	
1 43,464 Z 14 63 2 1,162 B 15 60 3 1,080 A 16 44 4 863 BZ 16 44 5 190 BZZ 17 43 6 159 A+ 18 41 7 116 AA 19 40 8 115 AAAZ 20 39 9 97 BAZ 21 37 10 93 A+Z 22 37 11 84 ZA 23 36 11 84 ZZNZ 24 35 12 66 AAZZZ 25 32 13 64 AX 26 30	AAZN AAAZZ ZAAZ BZZZ BNZ A+NZ A+ZZZ ZBZ ZZAZZ AZAN A+AAZ AZZAZ RAZZ

Rank	Frequency	Format	Rank	Frequency	Format
27	29	NAZZ	44	11	ZBZZ
28	28	ZAZN	44	11	ZNNZ
29	27	AA+	45	10	AAA+
29	27	ABZ	45	10	AANZZ
29	27	AZZZZZ	45	10	AZAZN
30	26	A+N	45	10	A+A
30	26	ZANZ	45	10	A+B
31	25	NZAZ	45	10	NAAZ
32	24	AAZAZ	4 5	10	NAZZZ
33	23	AAZZZZ	45	10	ZANZZ
33	23	AB	45	10	ZA+ZZ
33	23	ZB	45	10	ZRZ
34	22	AZNN	46	9	ANZN
34	22	NR	45	9	A+X
35	21	ANAZ	46	9998888888	ZAZAZ
36	20	AAZNZ	46	9	ZAZZZZ
36	20	AZZNZ	47	Ö	AA+Z
37	19	AAAAZ	47	8	A+AAZZ
37	19	AAAN	47	8	BAAZZ
37	19	ANNZ	47	Ö	NA NA
37	19	AZAAZ	47	0	NNNZ
38	17	ZA+AZ	47	8	ZAZNZ
39	16	AAA	47	8	ZA+
39	16	BZN	47	8	ZZZNZ
40	15	AAA+AZ	47		ZZZZZZ
40	15	BAAZ	48	7	A+ZNZ
40	15	BANZ	4 8	7	ZAANZ
40	15	NANZ	48 48	7	ZZANZ ZZAZZZ
40	15	ZZZAZ	46 48	7	ZZNN
41	14	AZA		7 6	AAAAN
41	14	AZAZZZ	49	6	AANN
41 41	14 14	A+ZN ZA+Z	49	6	AAZANZ
41	14		49 49	6	AAZAZZ
41 42		ZNAZ A+BZ	49 49	6 6	AA+NZ
42 42	13 13	NZZZZ	49	6	A+NAZ
42	13	ZZA	49	6	BAZZZ
42 42	13	ZZNZZ	49	6	BNZZ
43	12	AAAZZZ	49	6	BZZZZ
43 43	12	AA+ZZ	49	6	NZAN
43	12	AZNZZ	50		AAAAZZ
43 43	12	A+AZN	50	5 5 5 5 5 5	AAR
43 43	12	BAN	50	, 5	AA+N
7 3 43	12	ZAAZZ	50	, 5	ABZZ
43	12	ZZAN	50	5	AXZZ
44	11	AZANZ	50	5	AZNAZ
44	11	BZAZ	50	Ś	AZZR
44	11	ZAAN	50	5	AZZZAZ

Rank	Frequency	Format	Rank	Frequency	Format
50	5	A+ANZ	52	3	BZAZZ
50	5	A+ZNN	52	3	BZZN
50	5 5 5 5 5 5 5	NB	52	3 3 3 3 3 3 3 3 3 2 2	NAZN
50	5	NZA	52	3	NA+Z
50	5	NZNZ	52	3	NNA.Z
50	5	ZA+ZZ Z	52	3	NZAZN
50	5	ZNZZZ	52	3	NZB
50	5	ZZBZ	52	3	ZA+NZ
50	5	ZZZZN	52	3	ZBN
51	4	ANA	52	3	ZZB
51	4	ANZNZ	52	3	ZZZAZZ
51	4	AZB	51	2	AAAAAZ
51	4	A+NN	51	2	AAANZ
51	4	A+NZZ	51	2	AAAZNZ
51	4	A+ZAZ	51	2	AAA+ZZ
51	4	A+ZAZZ	51	2	AAB
51	4	BAR	51	2	AAX
51	4	BA+AZ	51	2	AA+A
51	4	NAAN	51	2	AA+AAN
51	4	NA+AZ	51	2	AA+BZ
51	4	NNAN	51	2	AA+NZZ
51	4	NZAZZ	51	2	AA+ZN
51	4	ZAAAZ	51	2	AA+ZZZ
51	4	ZAZZN	51	2	ABZZZ
51	4	ZA+AZZ	51	2	ANAAZ
51	4	ZA+N	51	2	ANA N
51	<u>4</u>	ZNNZZ	51	. 2	AXAAZ
5 1	4	ZZAAZ	51	2	AXANZ
51	4	ZZAZN	51	2	AZAX
51	4	ZZZR	51	2	AZAZAZ
52	3 3 3 3	AAAZN	51	2	AZA+
52	3	AAZAN	51	2	AZA+Z
52	3	AAZNZZ	51	2	AZNZN
52	3	AAZZN	51	2	AZNR
52	3	ANR	51	2	AZNZAZ
52	3	AXZ	51	2	AZRZ
52	3	AZAAN	51 53	2	AZZNN
52	3	AZAAZZ	51 53	2	AZZNZZ
52	3	AZANZZ	51	2	A+AAN
52 50	3	AZAR	51 53	2	A+AZAZ
52 50	3	AZBZ AZNNZ	51 51	2	A+BN
52 50	3	AZNNZ AZNZZZ	51 53	2	A+BZZ
52 52	3	AZNAZ	51 51	2	A+XZ
52 52	3333333333333	AZZAN AZZAZZ	51 51	2	A+ZAAZ
52 52) 2	AZZAZZ AZZZN	51 51	2	BAANZ
52) 2	AZZZNZ	51 51	2	BAA+AZ
52 52	<i>3</i>	BA+AZZ	51 51	2 2	BAZN
52	ر ع	BA+Z	51 51	2	BB
) (J	141 / J	51 51	2	BZZNZZ
			51	2	BZZZZZ

Rank	Frequency	Format	Rank	Frequency	Format
51	2	NAAAAZ	52	1	AAZAAZ
51	2	NAAAZ	52	1	AAZAZZ
51	2	NA+ZZ	52	1	AAZR
51	2	NNZN	52	1	AAZZA
51	2	NNZZZ	52	1	AAZZB
51	2	NRZ	52	1	AAZZNZ
51	2	NZR	52	1	AAZZR
51	2	NZZN	52	1	AA+AAZ
51	2	ZAA	52	1	AA+AZN
51	2	ZAAZN	52	1	AA+B
51	2	ZAAZZZ	52	1	AA+NNZ
51	2	ZAA+	5 2	1	AA+X
51	2	ZANNZ	52	l	AA+ZAZ
51	2	ZAR	52	1	ABAZ
51	2	ZAX	52	1	ANANN
5 1	2	ZAZAAZ	52	1	ANANZ
51	2	ZAZR	<i>5</i> 2	1	ANAZN
51	2	ZA+YZ	52	1	ANNAAZ
51	2	ZA+ZN	52	1	ANNN
51	2	ZBAZZ	52	1	ANNZZ
51	2	ZNANZ	52	1	ANZAAZ
51	2	ZNAZZ	52	1	ANZAN
51	2	ZNR	5 2	1	ANZAZ
51	2	ZZAAZZ	52	1	ANZZN
51	2	ZZA+Z	52	1	ANZZZZ
51	2	ZZA+ZZ	52	1	AXZZZZ
51	2	ZZNAZN	52	1	AZANAZ
51	2	ZZZNZZ	52	1	AZAXN
52	1	AAAA	52	1	AZAXZ
52	1	AAAAAX	52	1	AZAZNZ
52	1	AAAAZN	52	1	AZAZZN
52	1	AAAB	52	1	AZA+AZ
5 2	1	AAANZN	52	1	AZA+YZ
52	1	AAAZAN	52	1	AZA+ZZ
52	1	AAAZAZ	52	1	AZBN
52	1	AAA+N	52	1	AZNAA Z
5 2	1	AAA+Z	52	1	AZNAZZ
52	1	AAA+ZN	52	1	AZZAAN
52	1	AABNZ	52	1	AZZANZ
52	1	AABZZ	52	1	AZZAZN
5 2	1	AANA	52	1	AZZ B
52	1	AANR	52	1	AZZZ R
52	1	AANZAZ	52	1	AZ ZZZN
52	1	AANZZZ	52	1	A+AA
52	1	AAXAZZ	52	1	A+AAAZ
52	1	AAXN	52	1	A+AANZ
52	1	AAXZ	52	1	A+AAR
52	1	AAXZZ	52	1	A+ABZ
52	1	AAZA	52	1	A+ANN
52	1	AAZAAN	52	1	A+AR

Rank	Frequency	Format	Rank	Frequency	Format
E 0	1	A+AZNZ	52	1	NA R
52 50	1	A+AZZN	52	1	NAZAZZ
52	1	A+BZN	52	ī	NA+
52	1	A+NZN	52	ī	NA+N
52	1	A+XAAZ	52	ī	NA +ZN
52	1	A+XAZZ A+XAZZ	52	ī	NNAAN
52	1	A+XBZ	52	ī	NNAZZ
52		A+XZZ	5 2	ī	NNNA.ZN
52	1	A+XZZ A+Y	52	i	NNNAZZ
52	1		52	ī	NNZAZ
52	1	A+YAZ	52	ì	NNZNZ
52	1	A+YNZ		1	NZAANN
52	1	A+ZAN	52	ĺ	NZNAZ
52	1	A+ZNZZ	52	1	NZNN
5 2	1	A+ZZB	52		
52	1	A+ZZN	52	1	NZNZZ
52	1	A+ZZZZ	52	1	NZZR
52	1	BA.	52	1	NZZZZZ
52	1	BAA	52	1	ZAAA
52	1	BAAANZ	52	1	ZAAAA
52	1	BAAAZ	52	1	ZAAAZZ
52	1	BAAN	52	1	ZAANN
52	1	BAAZN	52	1	ZAANZZ
52	1	BAAZNZ	52	1	ZAAR
52	1	BAAZZZ	52	1	ZAAZNZ
52	1	BANN	52	1.	ZAAZZN
52	1	BANZZ	52	1	ZAA+AZ
52	1	BAZAAZ	52	1	ZAA+ZZ
52	1	BAZANZ	52	1	ZANAAZ
52	ī	BAZAZ	52	1	ZANR
52	ī	BAZNZ	52	1	ZANRZ
52	ī	BA+AAZ	52	1	ZANZZZ
52	ī	BA+ZZ	52	1	ZARA
52	ī	BBNZ	52	1	ZARZ
52	ī	BNAZ	52	1	ZAXAZ
52	ī	BNN	52	1	ZAZNRZ
5 2	ī	BNNZ	52	1	ZAZZAZ
52	î	BNZN	52	1	ZAZZNZ
52	ĺ	BNZZZ	52	ī	ZAZZZN
52	i	BZA	52	ī	ZAZZZR
52	i	BZAZZZ	52	ī	ZA+ANZ
	ĺ	BZNZ	52	ī	ZA+BZ
52		BZZNZ	52	i	ZA+NZZ
52 50	1 1	BZZR	52	ĺ	ZA+YN
52		NAA	52	1	ZA+YZZ
52	1			1	ZA+ZNZ
52	1	NAABZZ	52 52	1	ZA+ZNZ ZA+ZZR
5 2	1	NAA+NZ	52 52		ZBAZZZ
52	1	NANN	52 50	1	
52	1	NANNN	52 50	1	ZBZZZ
52	1	NANZZ	52	1	ZNAAZ

Rank	Frequency	Format	Rank	Frequency	Format
52	1	ZNAA	52	1	ZZA+AZ
52	1	ZNAN	52	1	ZZBN
52	1	ZNAZN	52	1	ZZBZZ
52	1	ZNBZ	52	1	ZZNAN
52	1	ZNBZZZ	52	1 .	ZZNNN
52	1	ZNNNN	52	1	ZZNNZ
52	1	ZNNNZZ	52	1	ZZNZAZ
52	ī	ZNZA	52	1	ZZNZN
52	1	ZNZZZZ	52	1	ZZRZ
52	1	ZZAAN	52	1	ZZZB
52	1	ZZAANZ	52	1	ZZZRZZ
52	ī	ZZAAZN	52	1	ZZZZBZ
52	ī	ZZANZZ	52	1	ZZZZNZ
52	ī	ZZAZAZ	52	1	ZZZZZN

An interesting comparison with statistics from the three corpora follows:

Rank	<u>100K</u>	<u>400K</u>	<u>500k</u>	
1	10,470(Z)	32,281(Z)	43,464(Z)	
2	197(A)	906(B)	1, .162(B)	
3	171(R)	657 (BZ)	1,080(A)	
Ĭ4	152(B)	591(A)	863 (BZ)	

The occurrence of R in the 100K corpus was a one time occurrence since the programs have now been revised to eliminate this format completely. With this one exception the majority of the format mismatches for all three corpora involve Z, A, B and BZ. The 400K and 500K statistics are quite similar except for a reversal of BZ and A in the third and fourth positions. It is interesting to note that A has fluctuated from second to fourth and back to a strong third. The indicates probable variations in writing style and will be closely watched, especially when a new data base is indexed.

The overall mismatch statistics of the three corpora are quite similar. The first four mismatches accounted for 94.6 percent of the mismatches in the first case, 94.8 percent in the second and 93.2 percent in the third.

Most of the formats which were immediately rejected in the previous corpora also appear in the 500K corpus.

Format	<u>100K</u>	<u>400K</u>	<u>500k</u>	Format	<u>100K</u>	<u>400K</u>	500K
A	197	591	1080	AZA	-	-	14
A+	42	88	159	NA.	-	-	8
A+Z	20	63	93	NB	-	-	5
AA	16	46	116	NZA	-	-	5
AX	11	34	64	ANA	-	-	4
A+R	11	13	-	AZB	-	-	4
ZA	4	28	84	BA+Z	-	-	3 3 3 2
AA+A	3	15	2 9	NZB	-	-	3
A+X	3 3 2	9	9	ZZB	••	-	3
AAA	Ž	9	1 6	AZAX	-	-	
A+B	2	5 5	10	AZA+	-	-	2
ZA+	2	2	8	BB	-	-	2
AXZ	2	2	3	AAAA	-	-	1
A+A	1	12	10	AAAAX	_	-	1
AAAAX	1		-	AANA.	-	-	1
AXA	1	-	-	AAZA	-	-	1
A+XA	1	-	-	AAZZB	-	-	1
ZYZ	1	-	-	AA+X	-	-	1
ZB	-	13	23	AZZB	-	•	1
AB	-	13	23	A+Y	-	-	1
ZZA	-	7	13	BAA	-	-	1
BA	-	5	l	NAA	-	-	1
ZAA	-	4	2 1	NA+	-	-	1
BA+	-	3 2		ZAAA	-	-	1
AAB	-	2	2	ZARA	-	-	1 1
AAX	-	2		ZNAA	-	-	
AAA+	-	2	10	ZNZA	-	-	1 1
AA+	-	-	27	ZZZB	-	-	T
A+N	-	-	26				

There are 30 new formats in the 500K corpus which can be categorized as immediate rejects. This is a considerable increase over the 9 new immediate reject formats which appeared at the time of the 400K corpus and indicates that, contrary to expectations, reaching the one million word level has not resulted in any decrease or leveling-off of new invalid formats.

PLANS FOR FY 73

- 1. The data base will be doubled.
- 2. Different data bases will be investigated.
- 3. The investigation of troublesome words will continue.
- 4. A report will be issued emphasizing statistics at the 2,000,000-word level.

REFERENCES

- 1. Klingbiel, Paul H., Machine-Aided Indexing, Report DDC-TR-69-1, AD 696 200.
- 2. Klingbiel, Paul H., Machine-Aided Indexing, Report DDC-TR-71-3, AD 721 875.
- 3. Klingbiel, Paul H., Machine-Aided Indexing, Report DDC-TR-71-7, AD 733 800.
- 4. McCauley, Ellen V., Natural Language Data Base, Report DDC-TR-72-1, AD 743 600.

APPENDIX A CURRENT FORMAT MATCHES

AAN

Aromatic organic polymers Military internal medicine Small tactical radios

AAZ

Airborne digital computer Ceramic conical shapes Fluidic analog controller

AAZZ

Automatic electric power plant Gyno-stabilized airborne laser system Small automatic gas turbine

AA+AN

Angular, linear and simultaneous accelerations
Angular accelerations
Linear accelerations
Simultaneous accelerations
Selimentary, tectonic and volcanic history
Sedimentary history
Tectonic history
Volcanic history

AA+AZ

1

Biochemical, clinical and pharmacological research
Biochemical research
Clinical research
Pharmacological research
Intergalactic, interplanetary and interstellar forces
Intergalactic forces
Interplanetary forces
Interstellar forces

AA+AZZ

Vehicular, manpack and airborne radio sets
Vehicular radio sets
Manpack radio sets
Airborne radio sets

AXAZZ.

Conical or flat disc windows

Conical disc windows

Flat disc windows

Signal or dual rail launcher

Signal rail launcher Dual rail launcher

AZ

Aerial delivery Integrated system Zeeman effect

AZAZ

Fixed wing naval aircraft
High expansion foam systems
Phased array scanned laser

AZAZZ

High speed coastal survey techniques Low cost low weight missiles Open circuit hot water systems

AZN

Cold weather clothing High performance airfoils TOXIC missile fuels

AZNZ

High temperature titanium alloy Underwater communication intelligibility studies

AZR

High-risk drug abusers Naval ship routing

AZZ

Acoustic propagation problems Modular power supplies Primary flight control

AZZN

Deep ocean protection survival Limited test ban treaty Single air search radar

AZZZ

Automatic flight control system Integrated fire control system Optical character recognition test

AZZZZ

Electric arc driver shock tube Low noise soild state amplifier

A+AN

Antipersonnel and antimateriel bomblets
Antipersonnel bomblets
Antimateriel bomblets

Frozen and thawed soils

Frozen soils Thawed soils

Internal and external blast

Internal blast External blast

A+AZ

Acoustic and electromagnetic propagation
Acoustic propapation
Electromagnetic propagation

Fixed and rotary wing

Fixed wing Rotary wing d vehicles

Wheeled and tracked vehicles

Wheeled vehicles Tracked vehicles

A+AZZ

Biological and chemical protection studies

Biological protection studies

Chemical protection studies

Small and full-scale wind tunnels

Small wind tunnels
Full-scale wind tunnels

Tactical and strategic missile systems

Tactical missile systems Strategic missile systems Fixed and rotary wing army aircraft

Fixed wing army aircraft Rotary wing army aircraft

Acoustic and electromagnetic signal processing techniques

Acoustic signal processing techniques

Electromagnetic signal processing techniques

Behavioral and social science research products

Behavioral science research products Social science research products

A+XAZ

Electrical and/or mechanical elements

Electrical elements

Mechanical elements

Decontaminating and/or sterilizing agents

Decontaminating agents

Sterilizing agents

A+YAN

Oceanographic and other underwater transducers

Oceanographic transducers

Underwater transducers

A+YZ

Fabric and other surfaces

Fabric surfaces

Pharmacological and other techniques

Pharmacological techniques

A+ZZ

Wheeled and tracklaying vehicles

Wheeled vehicles

Tracklaying vehicles

Clinical and laboratory studies

Clinical studies

Laboratory studies

Fresh and salt water

Fresh water

Salt water

BN

New cannon

New drugs

New handbooks

Biological aerosols Marine mammals Protective clothing

ANN

Low drag bombs Military dog nutrition Rough terrain forklifts

ANZ

Automatic welding technique Cold fog chamber Mobile firepower systems

ANZZ

Dual radar control system
High elongation suspension lines
Portable hydrozine fuel system

ANZZZ

Automated wire rope information system Nuclear weapons effects research program

AR

Nuclear device Tuning device Underwater device

ARZ

Planar routing algorithm Tactical maneuver elements

AXAN

Single stresses Multiple stresses

AXAZ

Stationary or moving targets

Stationary targets

Moving targets

Thermal or rolling shock

Thermal shock Rolling shock

BR

Collision breakup

N

Acoustics Electronics Speech

NAAZZ

Turbidity penetrating underwater camera system Welding very high strength metals

NAN

Aluminum coated fasteners Smoke resistant elastomers

NAZ

ASW avionic systems Blast resistant materials CB protective equipment

NN

ASW sensors Jungle canopy Transducer head

NNN

Armor survival vest Rat brain microsomes Silver zinc batteries

NNZ

Arctic ice areas Oxygen atom reactions Titanium aluminum alloys

NNZZ

BW CW explosive safety UHF transceiver breadboard test Accelerometer studies Balloon system Raindrop size

NZN

Carbon fiber composites Head motion sensors Laundry room fires

NZZ

Aluminum alloy cases Muzzle gas flow Radar fire control

NZZZ

ASW missile launching system CVA message flow systems Silicon scan converter tube

ZAN

Army mental hygiene Gas lubricated bearings Submarine acoustic emissions

ZAZ

Adhesive bonded joints Navy distillate fuel North Pacific areas

ZAZZ

Computer assisted war gaming
Fleet numerical weather central
Standard military communication equipment

ZAZZZ

Army unattended ground sensor system Navy airborne power supply requirements Prototype nuclear water level indicator

ZN

Field artillery Pressure hull Waste disposal Ethylene rubber seals Liquid dye lasers Steel tricon containers

ZNZ

Adult learning problems
Helicopter armament systems
Sea ice research

ZNZN

Neutron radiography defect detection

ZNZZ

Combat crew training levels Home fallout shelter survey Submarine diving plane tests

ZR

Display device Life saving Safety device

ZZ

Circuit theory
Launch angle
Rendezvous system

ZZN

Bomb rack stowage Engine compartment fires Water base fluids

ZZPN

Flight testing of antennas

Flight testing

Antennas

Surface layers of ceramics

Surface layers

Ceramics

Radiation preservation of food

Radiation preservation

Food

ZZI.

Altitude control device Mass storage device Sensor simulation device

ZZZ

Air force operations Data system elements Power supply problems

ZZZN

Dry cleaning plant emissions Foreign air defense guns Solid state laser diodes

ZZZZ

Electron beam image projection Flight deck edge antenna Submarine shock test vehicle

ZZZZZ

Army air traffic management functions Emergency life boat flash lights Solid state power conversion equipment

APPENDIX B FORMAT MISMATCHES

AAAAN

Unidirectional prestressed reinforced pyrolitic graphite Western United States- physical geography

AAAAZ

First-in first-out universal buffer memory
Gimbal mounted semi-rigid tilt rotor
Integrated navigational geophysical positioning
Novel high-powered liquid-cooled S-band tube
Three dimensional supercavitating lifting theory
Three navy-developed hot-corrosion resistant alloys
Very thin porous leading edge
Wound free flooded magnetostrictive array

AAAAZN

Cordless tactical electronic semiautomatic telephone switchboard

AAAB

HF VHF-FM VHF-AM new

AAAN

Air-droppable tactical meteorological buoy Night downward looking periscope Pulsed automatic pipe welding Skirted air-cushion planning hull Very soft cohesive soils

AAANZ

Strapdown airborne inertial navigation systems

AAANZN

Ultra lightweight tactical battlefield surveillance radar

AAAZ

Alpha beta gamma neutron
Close coupled canard surfaces
Digital coded firing system
Folding fin aerial rocket
High powered acoustic sources
Lightweight cold wet boot
Long standing nuclear threat
Naval amphibious logistic system
Remotely emplaced anti-personnel mines
Rugged miniature low cost
Small portable self-contained systems
Tandem Van De Graaff
Thermally stable organic materials
Very hard front face

AAAZN

Electronically tuned microelectronic receiver tuner Vebrile upper respiratory tract infection

AAAZNZ

Manually powered portable shelter ventilation systems

AAAZZ

All-weather day-night topographic mapping system
Automatic manual sealed distress light
Integrated tactical airborne control system
Powered wheeled military transport vehicles
Smaller lighter high reliability devices
Vertically polarized radiometric brightness temperature

AAAZZZ

Dual-turbine hybrid electric propulsion test rig Navy-wide integrated logistic control information system Portable shipboard upper air sounding system

AAA+AZ

Biochemical enzymatic immunological and physical properties Electronic ionic atomic and molecular reactions Structural electrical magnetic and optical functions

AAA+Z

Alpha beta gamma and neutron

AAA+ZN

Biochemic immunologic pathologic and performance degradation

AAA+ZZ

Tunable infra-red sub-millimeter and millimeter receivers

AABZZ

High-speed block-oriented random access memory

AANN

Antimaterial incendiary fragmentation bomblet Latent avian malaria infections

AANR

Automatic life-preserver inflation device

AANZ

Far infrared vision systems
Hot pressed titanium diboride
Least toxic corrosion inhibitors
Long internal gravity waves
Low-level neural activation studies
Safe tire inflation system
Three commercial dust respirators
Unstemmed nuclear cratering detonations

AANZAZ

All-optical automatic weapons load positioning system

AANZZ

Defense-oriented nuclear weapon effects research Global biological reverberation prediction models

AANZZZ

High-energy short-pulse hydrogen fluoride laser radiation

AAR

External lighting device

AAXAZZ

Simulated nuclear or high explosive environments

AAXN

Therapeutic prophylactic or detection

AAXZ

Technical administrative or combat

AAXZZ

Passive semi-active or active mode

AAZAAN

Compact closed cycle lightweight miniature refrigerators

AAZAAZ

Structural tuning recoil soft mounting barrel

AAZANZ.

Precision synchronous beacon acoustic navigation system

AAZAZ

High Reynolds number transonic flow Self-cleaning high intensity incandescent lamps Very high quality photographic enlarger Worldwide logistic system are- simulation

AAZAZZ

Very low cost strap-on bomb guidance

AAZN

Automatic electronic antenna coupler High atomic number dosimetry High cyclic rate weapons Living Q fever vaccine Multimode airborne intercept radar Three hot cell fires

AAZNZ

Lightweight gyro azimuth surveying instrument Modular chemical agent detection system Precise wide angle optics projection Single phased array radar system

AAZNZZ

Ultra high quality periscope imagery recorders

AAZR

High speed bulk storage device

AAZZN

Miniaturized acoustic lens imaging sonar

AAZZNZ

Vertical take-off escape system ejection applications

AAZZR

Adjustable superconducting point contact device

AAZZZ

Automated low cost production system
Dynamic in-house flight test program
Global spectral wave forecast model
HF digital data link tests
Lethal chemical agent materiel testing
Mobile tactical exercise control system
Second small size field test
Ultra high speed recording communications
Worldwide topographic system data bank

AAZZZZ

Automatic time-ordered air traffic control system Clip-on small arms weapon fire simulator Naval single sideband communication data systems Valid small arms requirements data base

AA+AAN

High energy-density and high power-density batteries

AA+AAZ

Under-ice geophysical and oceanographic environmental complexes

AA+BZ

Adverse environmental and operational conditions

AA+N

Acousto-optical piezoelectric and galvanometer Flame incendiary and smoke

AA+NZ

Physical biotic and culture factors Volatile semi-volatile and decomposition products

AA+Z

Chemical physical and sensitivity In-depth technical and cost Scientific technical and management

AA+ZAZ

Shipboard underwater and field amphibious environments

AA+ZN

Beta gamma and neutron detection

AA+ZZ

Body-wing body-tail and body canards
Military educational and training problems
Quiet rotary-wings and STOL aircraft
Technological logistic and safety factors
Visual infrared and millimeter wavelengths

AA+ZZZ

Naval coastal and sea floor installations

ABAZ

Seeking new electronic components

ABZ

Compact operational configuration Long complex structures Modular local systems Naval operational environment Technical operational programs

ABZZ

Tactical new radio system

ANAAZ

Single magnetostriction free flooded ring

ANAN

Lower purity reactant gases

ANANN

Passive countermeasures electromagnetic sensors weapons

ANANZ

Portable Marcorps polyester-resin fiberglass system

ANAZ

Antifouling paints high flash
Internal cargo restraint system
Lightweight battalion mortar system
Low friction hydraulic fluid
Remote arm safe system
Warm fog dispersal techniques

ANAZN

High creep resistant metal composites

ANNAAZ

Small ND yag electro-optically Q-switched laser

ANNN

Dynamic armor radar sensors

ANNZ

Airborne MTI radar techniques
Digital radar landmass simulation
Fine dendrite arm spacing
Mechanized infantry battalion force
Turbulent skin friction forces

ANNZZ

Unidirectional graphite graphite composite fibers

ANR

Night vision device Thermal-electric coaling device

ANZAAZ

All-optical weapons load automatic positioning system

ANZAN

White phosphorus target marker warhead

ANZA Z

Rifles- foliage penetration radar-landing

ANZN

Digital troposcatter communications modems High turndown ratio servovalve Internal RFI power budgets Shipboard laundry room fires

ANZNZ

Pure poison oak poison ivy

ANZZN

Underwater demolition team training stresses

ANZZZZ

Nuclear weapons effects research test plan

AXAAZ

Digital or analog electrical signals

AXANZ

Gaseous or liquified carbon dioxide

AXZZ

Redundant or emergency operations Remote or area alarm Wet or dry suits

AZAAN

Long life miniature thermal batteries

AZAAZ

High speed morse telegraph terminal High temperature stable organic materials Man-made fire resistant cellulosic fibers Winged missile structural captive loads

AZAAZZ

Free induction nuclear magnetic resonance flowmeter High speed spiral bevel gear systems

AZAN

High altitude meteorological rockets High temperature hydraulic fluids High temperature O-ring seals Long life self-lubricating bearings Natural circulation naval boilers Small engine internal aerodynamics Wide angle optic head

AZANAZ

High power wideband UHF integrated circuit

AZANZ

High power S-band TWT tube Integrated ground airborne avionics system Wide band secure crypto equipment

AZANZZ

High efficiency linear SSB power amplifier
High performance electromechanical actuator control system

AZAR

Fluidic gun positioning device

AZAXZ

High temperature plastic or glass

AZAZAZ

Safe hospital electrical system technical requirements

AZAZN

Anti-submarine launched ballistic missile detection High field cryogenically coaled magnets

AZAZNZ

High strength high modulus carbon filament

AZAZZN

High temperature oxidation-resistant metal matrix composites

AZAZZZ

High power high energy laser devices Low cost low weight cruise missile Narrow band secure voice system equipment Three camera wide angle TV system

AZA+AZ

Nuclear reaction cross-sections and nuclear radiation

AZA+YZ

High expansion foam and other agents

AZA+Z

Ionizing radiation injury-prevention and treatment

AZA+ZZ

Nonpathogen test agents- and support research

AZBZ

Amphibious warfare operational requirements Semi-automatic flight operational center

AZNAAZ

Thin shell magnetostriction free flooded ring

AZNAN

High power silicon controlled rectifiers

AZNAZ

High power silicon controlled rectifier

AZNAZZ

Phased array radar EM performance measurement

AZNN

High resolution ASW ABN
Hydraulic fluid contamination monitor
Multiple cutting subprojectile cartridges
Strategic structures vulnerability hardening

AZNNZ

High temperature vibration damping materials Integrated body armor flotation project

AZNR

Inflatable air bladder device Narrow band speech device

AZNZAZ

Five-year personnel armor system technical plan

AZNZZ

High strength beryllium oxide alloys Long wave length grating monochromator Rotary wing VTOL instrument training Strategic attack fallout prediction system

AZNZZZ

Deep sea divers hose material requirements Variable stability VTOL aircraft research program

AZRZ

Hydrazine-hydrazine nitrate blend fuel

AZZAAN

Low temperature irradiation sterilizer canned ham

AZZAN

Convective air masses non-volatile nuclei Epoxy matrix filament reinforced composites

AZZANZ

High yield strength structural titanium alloys

AZZAZ

Circular air foil shaped grenade
Elastic pitch beam tail rotor
High aspect ratio planing surface
High flash point hydraulic oil
High pressure impact resistant materials
Human relations training pilot programs
Low energy loss drive vehicle
Nuclear cloud surveillance portable weather

AZZAZN

High energy product high temperature magnets

AZZAZZ

Close-support STOL aircraft floating platform analyses Marine gas turbine hot section alloys

AZZNN

Augmented sea water corrosion inhibition

AZZNZ

Automated tissue cell culture control Electron beam projection masking technique High pressure mass spectroscopy studies Internal combustion engine cooling systems Semi-active laser paveway bombing system

AZZNZZ

Airborne dry material radar recording breadboard

AZZR

Digital message entry device Random-access mass storage device

AZZZAZ

High strength weight filament reinforced plastics

AZZZN

High pressure air compressor lubricants Variable area power turbine geometry

AZZZNZ

Regenerative air cycle ground cooling system

AZZZR

Digital input output display device

AZZZZN

Automatic voice frequency circuit quality monitor

AZZZZZ

Airborne weapon system data processing requirements
Automated jet engine fuel control test
High altitude research probe equipment project
High performance liquid propeliant gun system
Low air pollution fire fighting simulator

A+AAAZ

Stable and mobile ocean-going semi-submersible platform

A+AAN

Cold and high terrestrial elevation

A+AANZ

Man-portable and mechanized flame weapons systems

A+AAR

Small and economical optical device

A+AAZ

AC and DC superconducting machines
Binary and biternary PCM-FM signals
Chemical and biological protective handwear
Infrared and ramon spectral data
Normal and military environmental conditions
Strategic and tactical nuclear forces
Topographic and military geographic support
Vertical and horizontal defensive construction

A+AAZZ

Airborne and shipboard acoustic survey techniques Portable and fixed automatic alarm systems

A+ABZ

Fixed and adaptive real time

A+ANN

Arterial and verous blood oxygen

A+ANZ

Cold and high elevation regions Lethal and incapacitating CB agents

A+AR

Sequential and simultaneous lobing

A+AZAZ

Mid and long range strategic forecasts

A+AZN

Commercial and military specification lubricants Magnetic and electric field sensors Single and multiple round shots

A+AZNZ

Structural and high temperature damping materials

A+AZZN

Western and eastern equine ercephalitis vaccines

A+AZZZ

High and low cycle fatigue crack growth

A+BN

Occupational and operational hazards

A+BZ

Climatic and operational environments Environmental and operational tests National and local level Qualitative and quantitative estimates A+NAZ

Flame and smoke generating devices Stable and creep resistant materials

A+NN

Flame and fragmentation weapons Regulatory and stress physiology

A+NZ

Aerodynamic and vibration regimes Carbon-ceramic and PTFE liners Infra-red and radar imagery Mechanical and corrosion testing Restraint and survival systems The rmal and humidity protection

A+NZN

Fresh and seawater fuel contamination

A+NZZ

Auroral and arctic propagation paths

A+XAAZ

Tumbling and or violent oscillatory motion

A+XBZ

Qualitative and or quantitative requirements

A+XZ

Technical and or performance

A+ZAZ

Manipulate and display coastal information Static and wind tunnel tests

A+ZAZZ

Ballistic and crash resistant fuel systems

A+ZN

Airborne and submarine sonar Electrostatic and laser gyros Subluminous and degenerate stars

A+ZNN

Underwater and submarine periscope photography

A+ZNZ

Accelerated and field validation tests Harmonic and wave distortion elimination Thermal and air blast environments

A+ZNZZ

Single and diversity CVA antenna systems

A+ZZN

Fresh and salt water ice

A+ZZZ

Biological and liquid metal attack
Controlled and reproducible materials properties
Fresh and sea water systems
Mechanical and data processing problems
Normal and emergency flight conditions
Shipboard and Navy school training
Technical and system control equipment
Thermal and flight load environments
Ultra-violet and visible wave lengths

A+ZZZZ

Aerodynamic and aircraft space penalities making

BAAN

New shipboard HF tuner

BAA

New intense celestial maser sources

BAAZ

Local decision-making social action New chemical incapacitating agents New flame incendiary agents New mathematical statistical theory New waterless hand cleaner

BAAZN

New rugged quick-drying cotton nylon

BAAZNZ

New double tunnel diode oscillator instrument

BAAZZ

New military geographic intelligence products New shipboard arresting gear system

BAA+AZ

New bonded fire-retardant and ablative materials

BAN

New ballistic felts New infrared sensors New synthetic chemicals

BANN

New high permeability ferrite

BANZ

New flame weapons systems New portable pier configurations New wound ballistics model

BANZZ

New state-of-the-art survival radio set

BAR

Collision warning device New signaling device Complex biological systems
Complex manual operation
Complex molecular systems
New animal tests
New biological assays
New ceramic materials
New clinical tests
New digital techniques
New hydraulic fluid
New manufacturing techniques
New organic materials
New protective coatings
New solid-state devices
Operational environmental conditions

BAZAAZ

New high performance recoverable aerial target

BAZANZ

New high strength beta titanium alloy

BAZAZ

New epoxy formula AC system

BAZN

New broad-frequency-range probe hydrophone

BAZNZ

New high strength aluminum alloy

BAZZ

New electronic rating structure New high speed vehicles New long range studies New mental standards airman New plastic spectacle frame

BAZZZ

New high-performance antenna system kit

BA+AAZ

New offensive and defensive chemical materiel

BA+AZ

New electrical and magnetic materials New HF and VHF antenna

BA+AZZ

New atomic and molecular frequency sources New transonic and supersonic flight yehicles

BA+ZZ

New domestic and foreign science

BBNZ

Complex new weapons system

BNAZ

New biisoquinoline chemiluminescent salts

BNN

New CB decontamination

BNNZ

New drifting ice floe

BNZ

Direct weapons effects
New aluminum alloy
New compiler systems
New disposal techniques
New ECM system
New ferrite material
New inflation systems
New weapons systems

BNZN

New petroleum base fluids

BNZZ

Direct oxidation fuel cells New aluminum landing mats New hands off technique

BNZZZ

New carbon fiber composite studies

BZ

Complex data Complex structures Direct current Direct effect Direct support New aircraft New cereal New compounds New data New fibers New information New materials New models New problems New program New project New studies New techniques New work Operational data Operational forces Operational readiness Operational safety Operational tests Quantitative information Random plot Real problems Real time

BZAZ

Direct fire small arms
Real time auxiliary computer
Real time tactical systems

BZAZZ

New damage resistant machinery components Real time naval control systems

BZAZZZ

New carrier high voltage power systems

BZN

New antiradiation chemicals New engine oils New glass reinforcement New radio beacons New vapor hazards

BZNZ

New metal carborance compounds

BZZ

Complex flow field
Direct computer access
Direct fire munitions
New bone pins
New control system
New fuel cell
New pan camera
New ship systems
New test tube
Operational life time
Random access memory
Real gas effects

BZZN

New battery case sealants

BZZNZ

New air surveillance radar system

BZZZ

Direct energy conversion techniques New air defense gun New carrier landing aid Operational sea state clutter Real time computer systems

BZZZZ

New air strike support system New plasma arc flash system New surface wave delay lines

BZZZZZ

New air defense computer simulation models

NAAAAZ

Armor piercing follow-through pyrogenic flame system

NAAAZ

Titanium substituted barium-ferrite single crystal

NAABZZ

CIDS remote on-line real time mode

NAAN

Arthropod borne viral diseases Medicine hazardous chemical disposal

NAAZ

Battalion lightweight mortar system Fungus resistant solar heat Pilots binocular visual system Termite resistant electric cable NANN

VLF floating wire antennas

NANNN

Fiberglas reinforced plywood tricon containers

NANZ

Avionics fault isolation system Seawater hydraulic salvage tools

NANZZ

Oxidation resistant columbium alloy matrix

NAR

Eye protective device

NAZAZZ

Gats thin film Gunn

NAZN

Wire ringdown lines trunks

NAZZ

Eye safe laser transmitters Hull propeller interaction studies Sharp leading edge cylinder UHF high power amplifiers

NAZZZ

Indium cold cathode field emitter Man portable air defense system Radar broad-band noise control techniques

NA+AZ

Radar reflecting and absorbing properties Stress psychological and job environment factors NA+Z

Hull lay-ups and materials

NA+ZN

Cargo restraint and aircraft tires

NA+ZZ

Prairie flat and dial pack

NNAAN

Tungsten wire reinforced Cb-Ti-Cr-Al composites

NNAN

Silicon carbide reinforced aluminum Tungsten wire reinforced columbium

NNAZ

Rain erosion resistant coatings Rain erosion resistant materials

NNNZ

Parachute vacuum drying system

NNZAZ

Galluim arsenide phosphide monolithic devices

NNZN

Helium speech processing electronics

NNZZZ

Concrete petroleum fuel storage tanks

NR

Droplet breakup Flotation device Muzzle device Traction device

NZAANN

Graphite fiber reinforced pyrolytic graphite composites

NZAN

Beryllium filament reinforced titanium Rubber water lubricated bearings

NZAZ

Aluminum alloy structural shapes CW agent adsorption activity Ordnance frequency agile radars Weapons aiming visual display

NZAZZ

Grid wind tunnel computer technique Lithium niobate single crystal ribbon

NZNAZ

Aluminum alloy titanium structural shapes

NZNN

Copper clad aluminum conductors

NZNZZ

CB cloud trajectory prediction method

NZZN

Cancer cell tissue culture

NZZZZ

ASW missile launching system components Man machine systems personnel prediction Radar broadband noise control techniques

NZZZZZ

SSN attack submarine fire control studies

ZAAAZ

Fiber reinforced plastic structural materials

ZAAAZZ

Wing mounted stereoscopic close circuit TV

ZAAN

Boiler auxiliary automatic startup Fire resistant phenolic foams Heat sterilized canned beef Prototype digital planimetric compiler

ZAANZ

Instrumentation for- right vision tests Pound controlled airdrop cargo system

ZAAR

Aircrew respiratory protective device

ZAAZ

Aircraft mechanical hydraulic equipment Commanders passive right sight Disseminating military geographic data Modeling dynamic oceanographic conditions Potential flame incendiary agents Wing pylon mounted stores

ZAAZN

Field shelters- chemical agent detection

ZAAZNZ

Field use- chemical agent detection systems

ZAAZZ

Fiber reinforced plastic composite materials Multishot portable flame weapon system Potential lethal incapacitating riot control Reliable ultra high frequency devices Vapor deposited piezoelectric strain gauge

ZAAZZN

Shipyard automatic narrow gap butt welder

ZAAZZZ

Making valid large-scale accident effects predictions

ZAA+AZ

Disseminating bathymetric cartographic and navigational data

ZAA+ZZ

Field medical x-ray and recording system

ZANAAZ

Lipid extracted mycoplasma complement-fixing diagnostic antigen

ZANNZ

Antenna window rain erosion resistance

ZANRZ

Training night vision device operators

ZANZ

Army tactical weapons control
Influence intestinal iron absorption
Prototype centralized ATE system
Spin stabilized artillery shells

ZANZZ

Armys integrated battlefield control system
Noise cancelling microphone communication system
Prototype universal radar signal processor

ZAR

Navy technological projections

ZARZ

System technological projections strike

ZAZAAZ

Frequency modulated phase locked digital synthesizer

ZAZAZ

Army long range technological forecast Impact high speed water-entry missiles Transmission secondary electron thin films

ZAZN

Air regenerative cycle cooling Dry polymeric amine CO Potential chemical safety hazards Speed heavy duty saws

ZAZNRZ

Prototype hydraulic pontoon causeway jacking system

ZAZNZ

Barrier coated bearing lubrication system Reliable deep submergence hull material

ZAZR

Prototype wave-off decision device

ZAZZAZ

Vehicle hydraulic system maintenance diagnostic sets

ZAZZN

Carrier suppressed pulse duration modulation

ZAZZNZ

Diffusion bonded honeycomb core titanium panel

ZAZZZN

Army Marine Corps ground combat armor

ZAZZZR

Prototype digital input output display device

ZAZZZZ

Army tactical satellite communications surface terminals Potential tilt prop rotor aircraft configurations Ship electrical power system compatibility studies

ZA+AZ

Aircraft avionic and electrical equipment Aviation bio-medical and behavioral sciences Electron scatter and dielectric properties Light amphibian and amphibious vehicles

ZA+AZZ

Aircraft primary and automatic flight control Field medical and dental treatment facilities

ZA+BZ

Document technical and operational requirements

ZA+N

Earth moving and excavation Heat pipe and cooling

ZA+NZ

Aircraft static and lightning effects Ships electronic and weapons systems Crystal puller and platinum resistance afterheater

ZA+YZ

Paint fabric and other surfaces

ZA+YZZ

STOL turnaround and other support operations

ZA+Z

Bridge wet and dry Display drive and media Shelter living and performance Wind tunnel and range

ZA+ZN

Point positioning and land navigation

ZA+ZNZ

Gas chromatographic and ultraviolet detection techniques

ZA+ZZ

Pesticide dispersal and surveillance equipment Processing geodetic and mapping data Wind tunnel and flight test

ZA+ZZR

Fuel mixing and aircraft fuel dumping

ZA~ZZZ

Power drive and servo test facility Wind tunnel and range test facilities

ZBAZZ

Test new interior coating materials

ZBAZ ZZ

Army direct aerial fire support system

ZBN

Aircraft operational fluids Testing new insecticides

ZBZ

Army operational aircraft
Caliber direct fire
Navy operational systems
Simulate operational environments
Support new ship
Test new data

ZBZZ

Aid operational selection boards Calculation complex rotor loads Drawing operational sequence diagrams Test new display devices

ZNAAZ

Air blast thermal underwater shock

ZNAN

Liquid helium nucleate boiling

ZNAZ

Air leakage sealing mechanisms Black iron pipe shielding Impact injury medical group Training weapons firing ranges

ZNAZN

FM CW high resolution radar

ZNAZZ

Gas turbines piston engine starting

ZNBZZZ

Field artillery direct support weapon system

ZNNNN

Semitransparent gallium arsenide photocathodes substrate

ZNNZ

Ground MTI radar techniques
Shock vibration acceleration profiles

ZNNZZ

Prototype hydrazine monopropellant swimmer propulsion

ZNR

Prototype exoskeleton device

ZNZZZ

Aviation sleep work rest cycles Sea ice dynamics field program

ZRZ

Electron device failures Life saving gear Training device requirement

ZZAANZ

Light weight doppler satellite-using navigation techniques

ZZAAZ

Cleaner burning liquefied natural gas

ZZAAZZ

Prototype computer assisted enlisted personnel distribution

ZZAN

Filling aircraft pressurized reservoirs Pound class blunt weapons State aircraft hydraulic fluids ZZANZ

Base plant orthographic radar restitutor Pound side shifting pallet transporter

ZZANZZ

Bomb rack stowed SAR drop raft

ZZAZAR

Command thrust prepackaged liquid hybrid engine

ZZAZN

Pollution abatement high energy chemistry

ZZAZZ

Aircraft engine trim test system
Ion chamber gamma rate meter
Prototype engine crim test system
Sea water hydraulic fluid ingibitors

ZZAZZZ

Air Force human resources laboratory support Solid state electric logic distribution system

ZZA+AZ

Rotor blade leading and trailing edges

ZZA+Z

Alkyl ammonium phosphate and dibutyl

ZZA+ZZ

Ion mobility remote-Raman and laser systems

ZZBN

Ku band local oscillators

ZZBZ

Air Force operational environments Field test new track

ZZBZZ

Field test new track PAD

ZZNAZN

Sea water contamination resistant gear oils

ZZNN

Wave wind stress climatologies

ZZNNZ

Weapon system survivability vulnerability studies

ZZNZ

Air defense IFF system
Area scanning LOPAIR alarm
Combat vehicle crew sizes
Envelope weight ejection seat
Land combat weapons systems
Nerve gas disposal ship
Solid earth geophysics phenomena
Thrust bearing machining failure
Wave resistance hull forms

ZZNZAZ

Envelope weight ejection seat structural model

ZZNZZ

Air launched ordnance support area Aircraft weapon carriage launch prediction Sea water lubrication bearing applications

ZZRZ

Army training device requirements

ZZZAZ

Air purifier system impermeable materials Landing force assault amphibian vehicles Solid state devices applied research

ZZZAZZ

Simulating gun barrel pressure-time loading conditions

ZZZNZ

Gas turbine ship seaway dynamics
Helicopter deliverable water purification units
Tropo link propagation modulation studies

ZZZNZZ

Light weight surface ASW weapon launcher

ZZZR

Vehicle energy conversion device

ZZZZBZ

Earth terminal earth terminal complex space

ZZZZN

Compliant surface fluid film bearings Gas bearing spin motor gyroscope Surface ship solid wastes incinerator

ZZZZNZ

Surface ship solid wastes incinerator compactor

ZZZZZZ

Air defense gun aircraft engagement model Gun solid state scan converter tube Plane wave spectrum surface integration technique